Lacabanas	
Leonberger	

Ocular disorders known or presumed to be inherited (published)

	Diagnosis	Description and comments specific to the breed	Inheritance	Gene/ marker test	References
Α	Cataract	Posterior nuclear and cortical cataract rapidly progressive; between ½-2 y.o dogs	Unknown	NO	1,2
В	Glaucoma	Pectinate ligament anomaly seems to be frequent; acute glaucoma more rarely observed	Unknown	NO	1,3,4
С	Entropion	Lower lateral eyelid	Unknown	NO	1
D	Ectropion with macroplepharon		Unknown	NO	1
E	Persistent pupillary membranes		Unknown	NO	1
F	Lens luxation	Dogs 1,5 - 2,5 y.o.	Unknown	NO	1

	Persistent	Unknown	NO	1
	hyperplastic			
	tunica vasculosa			
	lentis/ Persistent			
G	hyperplastic			
	primary vitreous			
	(PHTVL/			
	PHPV)			

The ECVO's advice relating to hereditary eye disease control

Please see ECVO Manual chapter 8: VET Advice

Recommendations regarding age and frequency for eye examinations

Please see ECVO Manual chapter 7: ECVO Age and Frequency recommendations

Other ocular disorders (reported)

	Diagnosis	Source
A	Eversion of the cartilage of the nictitating membrane	ACVO genetics committee French National panel
В	Distichiasis	ACVO genetics committee
С	Uveal cysts	ACVO genetics committee

References

- 1. Chaudieu G. Chahory S. Affections oculaires héréditaires ou à prédisposition raciale chez le chien.2nd ed. Ed. du Point Vétérinaire 2013;190-192.
- 2. Heinrich CL, Lakhani KH, Featherstone HJ, et al. Cataract in the UK Leonberger population. Vet Ophthalmol. 2006 Sep-Oct;9: 350-356.
- 3. Hansen PA. Evaluation of the pectinate ligament dysplasia in a sample of the Leonberg dog population in Belgium. Proc ECVO/ESVI/ISVO meeting, Lyon (F), 38.
- 4. Fricker GV, Smith K, Gould DJ. Survey of the incidence of pectinate ligament dysplasia and glaucoma in the UK Leonberger population. Vet Ophthalmol 19(5):379-385, 2016.